SALOME version 7.4.0

Minor release announcement

May 2014

❖ GENERAL INFORMATION

CEA/DEN, EDF R&D and OPEN CASCADE are pleased to announce SALOME version 7.4.0. It is a minor release that contains the results of planned major and minor improvements and bug fixes against SALOME version 7.3.0 released in December 2013.

Table of Contents

♦ GENERAL INFORMATION	
♦ MAJOR CHANGES IN VERSION 7.4.0	4
PORTING TO PARAVIEW 4.1	4
Removal of multi-study support	4
Single Python interpreter	4
PORT MANAGER	4
NEW SALOME LAUNCH PROCEDURE	5
New Medreader	5
NEW FEATURES AND IMPROVEMENTS	6
Prerequisites changes	6
License restrictions	7
MAIN IMPROVEMENTS	8
Remove Extra Edges	8
Manage Dimensions	8
Geometric Progression Hypothesis	9
Move Nodes dialog redesign	9
Enforced Nodes	9
Create Mesh dialog improvements	10
Propagation of Nodes Distribution on Opposite Edges	10
New features in Body Fitting meshing algorithm	11
Viscous Layers on Shared Faces	12
Split Volumes into Prisms	12
Definable parameters for Smoothing Surface	13
Clipping Improvements	13
OTHER IMPROVEMENTS	14
MED MODULE CHANGE LOG	15
New features	15
API modification	15
Bug corrections	15
Behavior modification	15
BUG CORRECTIONS	16
GUI MODULE	16
KERNEL MODULE	16
GEOM MODULE	17
SMESH MODULE	22
MED MODULE	27
PARAVIS MODULE	27

	YACS MODULE	29
	JOBMANAGER MODULE	29
	BLSURFPLUGIN MODULE	29
	HEXOTICPLUGIN MODULE	30
	NETGENPLUGIN MODULE	30
♦	PROCESSED AND ANSWERED QUERIES	31
♦	OCCT 6.7.1 BUG CORRECTIONS	32
♦	SUPPORTED LINUX DISTRIBUTIONS AND PRE-REQUISITES	36
♦	HOW TO INSTALL AND BUILD SALOME	39
♦	SALOME SYSTEM REQUIREMENTS	39
♦	HOW TO GET THE VERSION AND PRE-REQUISITES	39
♦	KNOWN PROBLEMS AND LIMITATIONS	40

❖ MAJOR CHANGES IN VERSION 7.4.0

PORTING TO PARAVIEW 4.1

SALOME version 7.4.0 has been migrated to ParaView version 4.1.0. The architectural changes made in this ParaView version significantly affected the look-and-feel of SALOME platform.

The changes made in SALOME platform and the resulting side effects are described in the paragraphs below.

Note that the changes may require redesign or porting of third-party code that uses SALOME API (third-party modules, Python scripts, etc.).

Removal of multi-study support

SALOME is no more a multi-study application. There can be only one opened study document. The NewStudy() and Open() methods of SALOMEDS::StudyManager interface now raise an exception if there is an earlier opened study. In GUI, the user is able to open a new study only after the current one is closed.

Note that StudyManager interface and the business logic related to the study management became deprecated; it is kept in this version of SALOME for compatibility reasons. In the future versions of SALOME it is planned to correspondingly redesign the architecture and to remove the deprecated functionality (series 8x).

Single Python interpreter

Multiple Python interpreters have been replaced by a single one.

The previous approach used in SALOME GUI consisted in creating a separate Python (sub-) interpreter for each study, and even for each Python module within GUI framework. This allowed having a completely independent working environment in each study (and Python module).

Since version 7.4.0, there is a single Python interpreter shared between all studies and Python modules. In other words, all objects added to the interpreter context in the first study (for example, imported modules and created variables) stay "alive" in the second study, etc.

The side effect of this solution is that each Python module is imported only once into the interpreter context; this might have a negative effect if a business logic expects each study to have a separate copy of a Python module. The same concerns the usage of global variables.

An example of such negative side effect: <code>geompy.py</code> and <code>smesh.py</code> Python modules now work only when imported in the first study and do not work in the second, third, etc.:

```
import geompy # works only in the first study
import smesh # works only in the first study
```

However, these Python modules are considered deprecated since SALOME version 7.2.0; their usage is not recommended and they will be removed in future versions of SALOME.

PORT MANAGER

SALOME version 7.4.0 introduces a port manager feature to manage launching concurrent SALOME sessions and avoid conflicts coming from races for the TCP/IP port. Previously, when two SALOME sessions were started (almost) simultaneously, this could lead to the failure of one of these sessions since the port, to which the study tried to connect, was already occupied by another session.

The port manager guarantees that each SALOME session gets its own TCP/IP port.

Note:

• In SALOME 7.4.0 build procedure, the port manager option is switched OFF by default. To enable this feature, it is necessary to re-build SALOME using the following cmake option:

```
-DSALOME USE PORTMANAGER=ON
```

Copyright © 2001- 2014. All rights reserved.

- SALOME version 7.4.0 binary distributions (both Linux and Windows) are built with the port manager feature switched OFF.
- The port manager feature is poorly tested on Windows.
- Since SALOME version 7.5.0, the port manager feature will be ON by default.

NEW SALOME LAUNCH PROCEDURE

SALOME version 7.4.0 introduces salome script, which is a new SALOME start-up procedure. This script replaces two existing launch procedures: runSalome (application-independent approach) and runAppli (SALOME application concept).

Note: in SALOME 7.4.0, runSalome and runAppli scripts are still available for compatibility reasons; they will be removed in SALOME series 8x.

SALOME users are encouraged to use the new SALOME start-up procedure. Note that this procedure is based on SALOME application concept: it is necessary to generate an "application" using appli_gen.py script. The salome script supports many parameters, type salome help to learn about the script usage.

Examples:

• Launch a new SALOME session:

salome start

• Connect the Python console to the active session:

salome connect

Kill all running SALOME sessions:

salome killall

NEW MEDREADER

SALOME version 7.4.0 introduces completely redesigned MedReader plug-in for ParaView. A part of PARAVIS module, new MedReader is implemented on the top of MEDCoupling/MEDLoader API available from SALOME MED module.

New implementation of MedReader has some major differences from the previous version that might require porting of related scripts.

♦ New Features and Improvements

PREREQUISITES CHANGES

The table below lists pre-requisite products used with SALOME 7.4.0; the differences of 3^{rd} -party product versions used for SALOME 7.4.0 and 7.3.0 are highlighted in bold.

Product	SALOME 7.3.0	SALOME 7.4.0
Boost	1.52.0	1.52.0
Cgns	3.1.3-4	3.1.3-4
CMake	2.8.10.2	2.8.10.2
Docutils	0.10	0.10
Doxygen	1.8.3.1	1.8.3.1
Expat	2.0.1	2.0.1
Freeimage	3.15.4	3.16.0
freetype	2.4.11	2.4.11
gl2ps	1.3.8	1.3.8
Graphviz	2.30.0	2.30.0
HDF5	1.8.10	1.8.10
Homard	10.7	11.1
Intel® Threading Building Blocks	3.0	3.0
Jinja2	2.6	2.6
LAPACK	3.4.2	3.4.2
libBatch	2.1.0	2.1.0
Libxml2	2.9.0	2.9.0
Med	3.0.7	3.0.7
METIS	4.0	4.0
NETGEN	4.9.13	4.9.13
NumPy	1.7.1	1.7.1
omniORB	4.1.6	4.1.6
omniORBpy	3.6	3.6
omniNotify	2.1	2.1
Open CASCADE Technology	6.7.0	6.7.1
ParaView	3.98.1	4.1.0
Pygments	1.5	1.5
PyQt	4.9.6	4.9.6
Python	2.7.3	2.7.3
QScintilla	2.7	2.7
Qt	4.8.4	4.8.4
Qwt	5.2.1	6.1.0

Copyright © 2001- 2014. All rights reserved.

Product	SALOME 7.3.0	SALOME 7.4.0
Scotch	5.1.11	5.1.11
Setuptools	0.6c11	0.6c11
SIP	4.14.2	4.14.2
Sphinx	1.1.3	1.1.3
SWIG	2.0.8	2.0.8
Tcl	8.6.0	8.6.0
Tk	8.6.0	8.6.0
TcIX	8.4.1	8.4.1
VTK ¹	6.0	6.1
Xdata	0.9.9	0.9.9
Distene MeshGems suite ²	1.1	1.13
wso2-wsf-cpp	2.1.0	2.1.0
simanio	1.0	1.0

Note: the table above lists only main pre-requisite products (used with default configuration of SALOME); some optional products are not shown. For additional information about pre-requisite products and SALOME modules dependencies refer to the paragraph "Supported Linux distributions and pre-requisites" below.

License restrictions

- Hereby we explicitly declare that PyQt and QScintilla (by Riverbank Computing Ltd) used by SALOME are distributed under the terms of GPL license, for more details please refer to:
 - o http://www.riverbankcomputing.com/software/pygt/license
 - o http://www.riverbankcomputing.com/software/gscintilla/license

If you plan using SALOME for commercial usage please consider obtaining a commercial license for PyQt and/or QScintilla.


¹ Version, included in ParaView distribution.

² Commercial product; requires license.

³ Distene MeshGems v1.1 distributed with SALOME versions 7.3 and 7.4 also includes mg-hexa v1.2-1.


MAIN IMPROVEMENTS

Remove Extra Edges



New Remove Extra Edges option of Fuse objects operation allows automatically removing edges of argument objects from the operation result.

The fuse of two boxes created with this option is shown to the right and without it to the left.




Manage Dimensions

It has become possible to create interactive persistent dimensions of geometric objects.


This functionality can be accessed from the main menu via Measures \rightarrow Dimension \rightarrow Manage Dimensions.

Select the object, push **Add** button, and select the necessary type of dimension in the dialog and the corresponding elements of the object directly in the 3D viewer.


Created dimensions can be selected and manipulated by mouse to find the best position and fly-out distance.



It is possible to display the **Length** of a single edge or **Distance** between two vertices or two parallel edges;



Diameter can be shown for circular faces.




Angle can be shown for two intersecting edges or three points

Geometric Progression Hypothesis


New **Geometric Progression** hypothesis allows splitting edges into segments with a length that changes in geometric progression:

$$L_k = L_{k-1} \times d$$

beginning from a given **Start Length** (L_0) and with **Common Ratio** (d).



Move Nodes dialog redesign



Move node dialog of Mesh module has been split on two tabs to allow the user to choose the way the node being moved is specified:


- First tab allows the user to explicitly specify the node to be moved.
- Second tab allows automatically searching for a node closest to the given position and enforcing it at this position.

Enforced Nodes

The option to predefine positions of some nodes has been introduced in **Quadrangle Parameters** hypothesis as **Enforce Nodes** tab.

The positions of nodes can be defined by existing vertices or input as coordinates.

It is not possible to create enforced nodes on face boundary.




Create Mesh dialog improvements

Create Mesh dialog has been improved in many aspects.

A meshing algorithm or a hypothesis is available in the dialog only if the selected geometry includes the shapes that can be tessellated by the algorithm or if its usage is meaningful at the chosen level (mesh or sub-mesh). E.g. Propagation hypotheses are available only at the sub-mesh level, while Quadratic Mesh hypothesis and Body Fitting algorithm are available only at the mesh level.

New Mesh type parameter allows selecting from Any, Hexahedral, Tetrahedral, Triangular and Quadrilateral (there can be fewer items for lower dimensions). Selection of a mesh type hides any algorithms that are not able to create elements of this type.




Default is shown instead of **None** if an algorithm can work without any hypothesis using default parameters.



Propagation of Nodes Distribution on Opposite Edges

This new hypothesis allows propagating nodes distribution onto an opposite edge.


If a local hypothesis and propagation are defined on an edge of a quadrangular face, the opposite edge will have the same number of nodes and the same relations between segment lengths, unless another hypothesis has been locally defined on the opposite edge.




New features in Body Fitting meshing algorithm

Implement Edges check-box activates incorporation of geometrical edges in the mesh. See the mesh without this option to the left and with it to the right

Fixed Point option allows defining exact location of a grid node in the direction defined by spacing.






Directions of Axes menu group allows setting the directions of grid axes.


Orthogonal Axes option keeps edges orthogonal.

Optimal Axes button runs an algorithm that tries to set the axes to maximize the number of generated hexahedra.

See a box meshed with non-orthogonal axes in the image.



Viscous Layers on Shared Faces




It has become possible to specify wall faces, which are not the inlets and outlets, and faces shared by solids as target faces for **Viscous Layers** hypothesis and create viscous layers on them.

Consequently, if **Viscous Layers** hypothesis is global, the viscous layers are constructed on both sides of the face shared by solids.

If the hypothesis is assigned to a sub-mesh, and the face shared by solids is an outer face of the sub-mesh shape, then viscous layers are constructed on one side of the face so that the viscous layers are inside the sub-mesh shape.

Split Volumes into Prisms




Split Volumes operation now allows splitting hexahedral meshes into **Prisms**.

There are two available modes: splitting into 2 prisms and splitting into 4 prisms.



Then it is possible to choose the side of hexahedron that will be split into triangles by specifying a point and a direction close to normal of the side.

The algorithm finds the hexahedron closest to the point and selects the side with the normal closest to the specified direction. Then the splitting is propagated from that side to all adjacent hexahedrons.




Definable parameters for Smoothing Surface


The following parameters of **Smoothing Surface** algorithm now can be defined at input (previously they were hardcoded):

- Maximum degree of the resulting BSpline surface
- Maximum number of Bezier curves in the resulting surface
- 3D tolerance of initial approximation (that represents a tolerance of initial plate surface approximation and by default computed as max(0.0001,10*error), where error is 3D tolerance of the surface).

Additionally, **Smoothing Surface** now accepts not only a list of points, but also a compound of points (or a list of compounds) at input.



Clipping Improvements



Clipping mechanism has been improved in many ways (especially for OCC viewer and Geometry module):

- The clipping plane can be defined:
 - Relatively to the center of the bounding box of the current scene.
 For this, press New button and select Relative in the list.
 - In absolute coordinates; for this mode the position of the clipping plane is specified via the base point and normal vector.
- It is possible to define several clipping planes.
- It is possible to select a clipping plane by mouse and move it with pressed left mouse button or rotate with pressed Ctrl key and left mouse button.

OTHER IMPROVEMENTS

- DoubleNodesOnGroupBoundaries() function has become available in GUI of Mesh module, in "Duplicate Nodes or/and Elements" dialog box. "On all boundaries" option duplicates nodes not only on the boundary between the selected groups of volumes, but also on the boundary between them and the remaining mesh.
- STEP import now creates groups corresponding to the materials, if there are any in the STEP file.
- New "Gravity Center of Selected Object" button implemented in OCC and VTK 3D viewers allows
 choosing an edge, face or solid to define a new rotation point as the center of gravity of the
 selected shape.
- New function GetMinMax() has been added to Mesh Python class to return minimal and maximal value of numerical parameter, such as mesh face area, 3D element volume, aspect ratio etc.
- New method GetFaceNormal(), which computes the normal of a mesh face, has been added to Mesh API.
- MacMesh plug-in, which provides a python library for quadrangle meshing, has been integrated into Mesh module.
- Pattern Mapping functionality now can be used for creation or refinement of a 2D mesh within a 3D meshing workflow.
- If "Check Shape" operation fails, its output now provides a list of sub-shapes that cause problems. It is possible to publish them in the study for further analysis.
- New "Scale Factor" coefficient allows scaling the representation of discrete (ball) elements displayed in VTK 3D viewer.
- It is possible to switch on and off automatic merge of edge nodes, which are coincident geometrically but different topologically, and automatic definition of 1D and 2D mesh density depending on the curvature of faces and edges in NETGEN mesher.
- The analysis of concurrent sub-meshes is now performed automatically at creation of any submesh.
- In Mesh module, export to MED operation allows now converting geometrical fields to the MED fields and saving them into the file. This functionality is available via both GUI and Python API.
- The input panels of nodes PyScript and PyFunction have been modified in YACS module.
- Progress bar is now shown under the header item of YACS nodes ForLoop and ForEachLoop to show the current progress of theses nodes during schema execution.

MED MODULE CHANGE LOG

New features

- o MEDCouplingUMesh::conformize2D (to convert non-conform 2D mesh to a conform one).
- o MEDCouplingUMesh::colinearize2D (to suppress points in 2D cells that do not change the shape of the 2D cell).
- o MEDCouplingUMesh::split2DCells (to add some points in a 2D cells without changing shape of 2D cell).
- o getCellsBoundingBox manages SEG3.
- o MEDCouplingUMesh::computeNeighborsOfNodes.
- Open kriging API to project points on surfaces.
- o In MEDLoader, load/unload in MEDFileField* class (for MEDReader).
- o MEDCouplingUMesh::buildSpreadZonesWithPoly manages now quadratic polygons.
- o Addition of gauss points shape functions for HEXA27 (for MEDReader).
- o Improve performance of MEDCouplingUMesh::Intersect2DMeshes.
- o Management of -1 level of structured meshes (using implicit convention) (for MEDReader).
- o MEDLoader.WriteFieldUsingAlreadyWrittenMesh now manages all mesh types (not only unstructured as in 7.3.0).
- o MEDCouplingIMesh for image meshes.

API modification

- o Addition of MinDotBtwPlane3DSurfIntersect in InterpolationOption to control the angle.
- o Addition in InterpolationOption of setArcDetectionPrecision to control the threshold between a line and an arc.
- o Replace const char* by const std::string& in input arguments of the functions for string parameters in MEDCoupling and MEDLoader.
- o Addition of MEDFileMesh::getAllGeoTypes.
- o BigMemoryObject::getAllTheProgeny and BigMemoryObject::isObjectInTheProgeny.
- o MEDFileFieldGlobs::getFileName2 is suppressed.

Bug corrections

- Debug on gauss points shape functions for PYRA13.
- o For structured meshes getMeshDimension and getSpaceDimension can be different now.
- o Debug Remapper from P1 meshdim=1 spacedim=3 to P0 meshdim=3.
- o Cell orientation for QPOLYGON with 2 SEG3.

Behavior modification

- o Python wrap behavior modif slices start==stop==nbelem is now supported in __getitem__ and __setitem__.
- o Python wrap behavior negative single integer in __getitem__ is supported.

*** BUG CORRECTIONS**

GUI MODULE

	Summary: [CEA] Provide "eye" icon for objects of Python module in Object Browser
22450	It has become possible to show and hide objects by clicking object browser «eye» icon of the corresponding object in SALOME module written in Python. The functions to control behavior of visibility icon for certain data object of Python module have been added to the Python API of SALOME GUI.
	Summary: [CEA] Move Up/Move Down of objects in Python module
22451	It has become possible to move objects created by Python module up and down in the Object Browser. The functions to change position of the data object in the data tree of Python module have been added to the Python API of SALOME GUI.
	Summary: [CEA 1145] Missing WT_NoteBook in python
22565	"NoteBook" window is enabled by default only in the GEOM and SMESH modules. It is possible to enable/disable in each SALOME module programmatically using the same approach as for other "standard" dockable windows (via windows () function).
	Summary: [CEA 1157] SalomePyQt.WT_NoteBook and SalomePyQt.WT_User have the same value
22575	WT_User enumerator value in Python API of GUI module has been corrected to avoid overlapping with WT_NoteBook.
22583	Summary: [CEA 1160] "Help" icon missing in the Preferences
22363	"Help" icon has been added to "Preferences" dialog.
	Summary: EDF 8048 - ergonomics of SMESH
22589	"Show/Hide trihedron" button in the OCC and VTK viewer toolbar is shown pressed if the trihedron is visible and raised otherwise.
	Summary: [CEA 1177] Misleading error message
22595	"Unknown problem during opening/creation of the document" warning message is displayed after an attempt to open bad HDF file.

KERNEL MODULE

22489	Summary: [CEA 1055] Regression: optionshutdown-servers=1 does not work anymore Optionshutdown-servers=1 has been restored to full functionality.
22585	Summary: [CEA 1167] optionshutdown-servers kills all Salome sessions instead of the current session The problem with incorrect work of optionshutdown-servers=1 with new launcher has been fixed.

22587

Summary: [CEA 1166] Exception KeyError in module threading at Salome exit

'Exception KeyError' message at SALOME exit has been eliminated.

GEOM MODULE

	O THE STATE OF ON THE STATE OF
	Summary: EDF 2135 GEOM: Unification of Python documentations
21746	Different parts of the user documentation in KERNEL, GEOM and SMESH modules has been unified to have the same look-n-feel (the part previously implemented via Sphinx has been converted to doxygen syntax).
	Summary: [CEA 625] Clipping: from coordinates or from bounding box
	The following features related to clipping implemented in the OCC viewer (Geometry module) and VTK viewer (Mesh module):
	Definition of clipping plane parameters:
	 Relatively to the center of the bounding box of the current scene or
21793	 In absolute coordinates (base point + normal vector)
21755	Possibility to define several clipping planes.
	 Persistence mechanism for the clipping planes, so their parameters could be stored and retrieved; this includes also dumping of parameters of clipping planes to the Python script.
	Local (per-object) clipping for OCC viewer.
	Possibility to directly interact with the clipping plane in 3D view using mouse.
	Summary: EDF 2320 GEOM: Add persistent dimensions
	It has become possible to create interactive persistent dimensions of the following types:
	Length (Distance);
21854	Diameter;
	Angle.
	Created dimensions can be selected and manipulated by mouse to find the best position and fly-out distance.
21992	Summary: EDF 2482 GEOM : Generation of a face by filling 2 polylines
21992	The fix for this problem has been made in issue OCC23845.
	Summary: EDF GEOM 2214: Improvement of GEOM clipping
22070	Different improvements of clipping planes in OCC and VTK viewers; see issue 21793 for more details.
	Summary: EDF GEOM: Regression with boolean operation
22213	The circles produced by intersections of plane and sphere have been taken into account to make correct result.
	The fix for this problem has been made in issue OCC23991.

	Summary: EDF 2664 GEOM: MakeCut takes a long time in a specific case
22231	In the pipe creation algorithm a construction of first and last V-iso-edges now is unified with other V-iso-edges.
	The fix for this problem has been made in issue OCC24204.
	The list for time president had seen made in local code less in
00070	Summary: EDF 2691 GEOM: Publish the shapes with error in Check Shape
22373	If "Check Shape" operation fails, its output now provides a list of sub-shapes that cause problems. It is possible to publish these shapes in the study for further analysis.
	Summary: EDF 2273 GEOM: Select a point/edge/face/solid in the "Set Rotation Point" window
22378	New "Gravity Center of Selected Object" button implemented in OCC and VTK 3D viewers allows choosing an edge, face or solid to define a new rotation point as the center of gravity of the selected shape.
	Summary: EDF 2746 GEOM: Accept compounds of points as an input for "Smoothing surface"
22380	"Smoothing Surface" functionality now accepts not only a list of points, but also a compound of points (or a list of compounds) at input.
	Summary: [CEA 995] Picture import
22405	The problem with specific BMP image importing has been resolved by migration to FreeImage version 3.16.0.
	Related OCCT issue: OCC24376.
22441	Summary: EDF GEOM Regression: Partition operation produces a self-intersected shape
22441	The fix for this problem has been made in issues OCC24481, OCC24492 and OCC24527.
	Summary: EDF GEOM: Self-intersected shape with MakeRevolution
22442	The intersection between a Cone and a Cylinder, Sphere, Cone or Torus surface is now processed as analytical when the surface axes are collinear.
	The fix for this problem has been made in issue OCC24505.
	Summary: [CEA 1031] Error when exporting XAO of a box with ellipsoids
22448	Function GetInPlaceByHistory() has been corrected to prevent creating a group containing items of different data types; ExportXAO functions works correctly in this case.
22453	Summary: [CEA 1030] GHS3D ends with "COMPERR_NO_MESH_ON_SHAPE" because a solid corresponds to multiple ellipsoids
	The fix for this problem has been made in issue OCC24527.
20:-:	Summary: [CEA 1028] MinDistance between an ellipsoid and a box does not give expected result (zero)
22454	Minimal distance computation algorithm has been fixed for singular cases.

	Cummany ICEA 10241 Salama arashas at impart of a stan file
	Summary: [CEA 1034] Salome crashes at import of a step file
22456 T	he algorithm reading Cartesian points from a STEP file has been improved.
Т	The fix for this problem has been made in issue OCC24759.
22457	Summary: EDF 2817 GEOM: Subshape IDs change between two executions of a same script
7 ZZ437	The fix for this problem has been made in issue OCC24733.
5	Summary: [CEA 1040] Glue Edges produces an invalid shape
22459 T	he algorithm of curve on surface projection has been improved.
Т	The fix for this problem has been made in issue OCC24633.
5	Summary: [CEA 1044] xao import fails if the path contains some accented characters
	Eixed problem with using files with accented characters in file names in the following operations:
22463	Import/export XAO
	Set texture to the shape
Т	The corresponding OCCT issues: OCC24622, OCC24725.
S	Summary: EDF GEOM: Salome crashes at GEOM calling
22467 T	he check to unset threads GL context before its destruction has been added.
Т	The fix for this problem has been made in issue OCC24747.
3	Summary: [CEA 1048] IMP GEOM: creating groups on materials at STEP import
	STEP import now creates groups corresponding to the materials, if there are any in the STEP ile.
3	Summary: EDF 2782 GEOM: Common fails and self-intersection detection is very quick
22469 T	The treatment p-curves convergent in node. The refining the angles of p-curves taking into account bounding curves if exist.
Т	The fix for this problem has been made in issue OCC24655.
S	Summary: EDF 2604 GEOM: Suppress the boundary edges of the tools in the fuse operation
	Remove Extra Edges" option has been implemented in "Fuse objects" operation to automatically remove edges of argument objects from the operation result.
22474	Summary: [CEA 1050] UnionFaces does not work on shells
	UnionFaces algorithm has been improved to correctly work on shells.
3	Summary: EDF 2811 GEOM: Features for "Smoothing Surface" function
	The following parameters of Smoothing surface algorithm now can be defined at input previously they were hardcoded):
	Maximum degree of the resulting BSpline surface

	Maximum number of Bezier curves in the resulting surface
	• 3D tolerance of initial approximation (that represents a tolerance of initial plate surface approximation and by default computed as max(0.0001,10*error), where error is 3D tolerance of the surface).
22476	Summary: EDF 2828 GEOM [XAO]: Crash when exporting to .xao (or operation does not terminate)
	The problem with export to .xao format has been fixed.
22477	Summary: EDF GEOM [XAO]: The .xao extension is not added automatically
22477	The extension .xao is now added automatically to the files exported into XAO format.
22478	Summary: EDF GEOM [XAO]: Bad display of integer fields
22470	The presentation of integer fields has been improved.
	Summary: [CEA 1057] Default tick of "Detect self-intersections" in Partition
22490	"Detect self-intersections" option in "Partition" operation is not only taken into account when "No sub-shape intersection (Compounds only)" option is set to ON (that corresponds to the MakePartitionNonSelfIntersectedShape() TUI function).
	Summary: EDF OCC: How to get a vertex index with FindIndex?
22494	OCCT method BRepFill_Pipe::MakeShape has been fixed to return correct shapes.
	The fix for this problem has been made in issue OCC24667.
22496	Summary: EDF 2841 GEOM: Partition fails with a large number of tools
22430	The fix for this problem has been made in issue OCC24650.
	Summary: EDF GEOM: Regression in 2D sketcher
22497	The problem that caused exception during edge creation in 2D sketcher has been fixed.
	Additionally, spin-box labels have been corrected: "DX" replaced by "X" and "DY" by "Y".
	Summary: [CEA 1072] "Get Non Blocks" does not work on a set of faces
22503	"Get Non Blocks" algorithm has been improved to return the second object (group of all non-quadrangular faces) even if the first one (a group of all non-block solids) is null.
22506	Summary: [CEA 1086] Import in GEOM returns "unknown exception"
	Exception at "Import" operation call has been fixed.
	Summary: EDF 2850: Group creation problem
22508	Multiple incorrect warnings about wrong selected object, which occurred during processing of complex shapes, have been eliminated.

Summary: [CEA 1073] FuseCollinearEdgesWithinWire makes the original shape invalid The geometry, which is used to create new topological elements, is now copied to avoid making the original shape invalid by FuseCollinearEdgesWithinWire operation. Summary: [CEA 1071] FuseCollinearEdgesWithinWire fails The algorithm selecting the first and the last vertices for a concatenated edge has been improved. Summary: [CEA 1083] Impossible to graphically select an edge for MakeVertexOnCurve The algorithm selecting edges for "Create a point" operation has been improved. Summary: [CEA 1112] the point markers o and x are inverted The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process the case when closed concatenated curves are reordered.
Summary: [CEA 1071] FuseCollinearEdgesWithinWire fails The algorithm selecting the first and the last vertices for a concatenated edge has been improved. Summary: [CEA 1083] Impossible to graphically select an edge for MakeVertexOnCurve The algorithm selecting edges for "Create a point" operation has been improved. Summary: [CEA 1112] the point markers o and x are inverted The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The algorithm selecting the first and the last vertices for a concatenated edge has been improved. Summary: [CEA 1083] Impossible to graphically select an edge for MakeVertexOnCurve The algorithm selecting edges for "Create a point" operation has been improved. Summary: [CEA 1112] the point markers o and x are inverted The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
22519 Summary: [CEA 1083] Impossible to graphically select an edge for MakeVertexOnCurve The algorithm selecting edges for "Create a point" operation has been improved. Summary: [CEA 1112] the point markers o and x are inverted The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The algorithm selecting edges for "Create a point" operation has been improved. Summary: [CEA 1112] the point markers o and x are inverted The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The algorithm selecting edges for "Create a point" operation has been improved. Summary: [CEA 1112] the point markers o and x are inverted The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The "Point Marker" dialog has been fixed to insert markers properly. Summary: [CEA 1137] FuseCollinearEdgesWithinWire fails on some wires The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The algorithm FuseCollinearEdgesWithinWire has been improved to correctly process
The algorithm rusecollimear Edges with mile has been improved to correctly process
Summary: EDF 2857 – 7832 GEOM: problem with projection
The problem with a vertex obtained instead of an edge after its projection on a face has been fixed.
The fix for this problem has been made in issue OCC24827
Summary: EDF 2857 – 7832 GEOM: strange behavior with partition
The selection of candidate faces has been improved in the partition algorithm.
The fix for this problem has been made in issue OCC24851.
Summary: EDF GEOM: Regression with MakeCut
The algorithm finding intersection between a Cone and a Torus with collinear axes has been fixed to provide correct work of "Cut" operation.
The fix for this problem has been made in issue OCC24844
Summary: EDF GEOM: Regression with MakePartition
The operation that splits shells into blocks has been modified to process connected blocks of faces when the block begins with the face that is intended to be internal.
The fix for this problem has been made in issue OCC24861.
Summary: EDF GEOM: Regression, segmentation violation with MakePipe
The algorithm of pipe creation has been improved to preserve the order of edges in the source shape.
The fix for this problem has been made in issue OCC24849.

22567	Summary: EDF GEOM: Regression with shape selection The problem with selection of edges has been fixed. The fix for this problem has been made in issue OCC24867.
22586	Summary: EDF GEOM 8107: The Header files of GEOMToolsGUI are not installed The building procedure has been fixed to correctly install header files of GEOMToolsGUI.

SMESH MODULE

21793 Summary: [CEA 625] Clipping: from coordinates or from bounding box The following features related to clipping were implemented in SMESH module: • Possibility to define clipping planes in the global coordinates of the scene; • OpenGL clipping alternative to the data-set clipping. Summary: [CEA] Method to compute the normal to a mesh face New method GetFaceNormal(), which computes the normal of a mesh face, has be added to Mesh API. Summary: [CEA] Method to get the minimal link length
Possibility to define clipping planes in the global coordinates of the scene; OpenGL clipping alternative to the data-set clipping. Summary: [CEA] Method to compute the normal to a mesh face New method GetFaceNormal(), which computes the normal of a mesh face, has be added to Mesh API. Summary: [CEA] Method to get the minimal link length
OpenGL clipping alternative to the data-set clipping. Summary: [CEA] Method to compute the normal to a mesh face New method GetFaceNormal(), which computes the normal of a mesh face, has be added to Mesh API. Summary: [CEA] Method to get the minimal link length
Summary: [CEA] Method to compute the normal to a mesh face New method GetFaceNormal(), which computes the normal of a mesh face, has be added to Mesh API. Summary: [CEA] Method to get the minimal link length
New method GetFaceNormal(), which computes the normal of a mesh face, has be added to Mesh API. Summary: [CEA] Method to get the minimal link length
added to Mesh API. Summary: [CEA] Method to get the minimal link length
New function <code>GetMinMax()</code> has been added to <code>Mesh</code> Python class to return minimal maximal value of numerical parameter, such as mesh face area, 3D element volume, as ratio etc.
Summary: EDF 2538 SMESH: Face with layers with ViscousLayer3D Hypothesis
It has become possible to specify wall faces, which are not the inlets and outlets, and fa shared by solids as target faces for "Viscous Layers" hypothesis and create viscous layers them.
Summary: EDF 2719 SMESH: Split hexahedrons into prisms
It has become possible to split hexahedral elements into pentahedra and choose in "Splitting volumes" dialog a splitting pattern, i.e. into how many pentahedra to splitting hexahedron, two or four.
Summary: EDF SMESH: Body Fitting algorithm: origin point of grid defined by spacing
"Body Fitting" meshing algorithm has been improved to allow the user to specify a poir which a mesh node will be created in a case of mesh definition by spacing.
Summary: EDF SMESH: Body Fitting algorithm: mesh orientation
The following new features have been introduced in the "Body Fitting" algorithm:
Possibility to specify the direction of grid axes;
Automatic changes of grid axes orientation to increase the number of hexahe elements;
Possibility to create non orthogonal grid axes.

	Summary: EDF SMESH: Body Fitting algorithm: Implement edges
22360	New "Implement Edges" option of "Body Fitting" meshing algorithm allows adding a geometrical edge into the mesh.
	Summary: EDF SMESH: Quadrangle (mapping) algorithm: enforced vertices
22362	"Quadrangle (mapping)" meshing algorithm has been improved to generate mesh with nodes located at the positions specified by the user.
	Summary: EDF SMESH: Create Mesh dialog box improvement: optional hypotheses
22363	"Create Mesh" dialog now informs if it is optional to assign a hypothesis together with the algorithm or not. For this, "Default" is shown instead of "None" if an algorithm can work without any hypothesis using default parameters.
	Summary: EDF SMESH: Create Mesh dialog box improvement: hide inapplicable algorithms/hypotheses
22364	A meshing algorithm is available in "Create Mesh" dialog only if the selected geometry includes the shapes that can be tessellated by the algorithm or if its usage is meaningful at the chosen level, e.g. "Propagation" hypotheses are available only at the sub-mesh level, while "Quadratic mesh" hypothesis only at the mesh level.
	Summary: EDF SMESH: Create Mesh dialog box improvement: hide algorithms depending on a mesh type
22365	"Mesh type" parameter has been added in "Create Mesh" dialog box to allow selecting from "Any", "Hexahedral", "Tetrahedral", "Triangular" and "Quadrilateral" (there can be fewer items for lower dimensions). Selection of a mesh type hides any algorithms that are not able to create elements of this type.
	Summary: EDF SMESH: Notification on concurrent algorithms/hypotheses
22367	The analysis of concurrent sub-meshes is now performed automatically at creation of any sub-mesh.
	Summary: EDF SMESH: Pattern mapping to assign new nodes to sub-shapes
22368	"Pattern Mapping" functionality now can be used for creation or refinement of a 2D mesh within a 3D meshing workflow.
	Summary: [CEA 831] New wire discretization hypothesis: geometric progression
22384	New "Geometric Progression" hypothesis allows meshing edges using geometric progression so that the length of each next segment differs from that of a previous one by a certain factor.
	Summary: [CEA 984] Propagation of the number of segments and propagation of the distribution
22394	Additional 1D hypothesis "Propagation of Node Distribution on Opposite Edges" has been created. This hypothesis propagates distribution of nodes from the edge to which it is assigned to opposite edges of quadrilateral faces to have the same number of segments and relations between segment lengths on opposite edges.

22458	Summary: [CEA 1039] Regressions on NETGEN_1D2D3D and GetInPlaceByHistory Regressions in NETGEN plug-in and Geometry module have been fixed.
22460	Summary: [CEA 1042] Copy Mesh: impossible mesh selection in the object browser if selection in 3D view is disabled The problem with mesh selection in "Copy Mesh" dialog has been fixed.
22462	Summary: EDF SMESH: many computation does not work anymore Solved by additional patch for Netgen.
22465	Summary: [CEA] sometimes isinstance(m, Mesh) returns False for Mesh objects A Python coding problem has been fixed.
22466	Summary: [CEA 1047] Mesh stays selected when selection is disabled in the 3D view The problem with "Display", "Display only" and "Erase" operations in case of disabled selection in OCC and VTK 3D Viewers has been fixed.
22473	Summary: EDF 2825 SMESH: Memory allocation problem with ViscousLayer2D A memory allocation problem arising with ViscousLayer2D hypothesis has been fixed.
22479	Summary: EDF 2823 SMESH: Add "multiplier" coefficient for balls Multiplier coefficient "Scale Factor" has been added to discrete (ball) elements displayed in VTK 3D viewer. It is applied to the diameter of each ball element to scale its representation in the viewer.
22480	Summary: EDF 2773 SMESH: Automatic update in SMESH "Automatic Update" option now updates not only meshes, but also sub-meshes, groups on geometry and groups on filter.
22482	Summary: EDF 2822 SMESH: Redesign of move node dialog box "Move Node" dialog has been split into two parts corresponding to two different tasks: • Move any mesh node to a given position. • Search for a node closest to the given position and enforce it at this position.
22487	Summary: EDF 2778 SMESH: Add a GUI for the flat elements generation "Duplicate nodes on group boundaries" operation has been added in "Duplicate Nodes and/or elements" dialog. It creates double nodes and, optionally, flat elements on common boundaries of the given groups of volumes or, optionally, on all boundaries between the given groups and the remaining mesh.
22488	Summary: EDF 2781 SMESH: Faces of an internal sub-mesh cannot be selected with the viscous layer The definition of "Viscous Layers" hypothesis on a sub-shape has been improved so that only the faces of that sub-shape were selectable.

	·
22491	Summary: EDF 2249 SMESH: Integration of a small python library for quadrangle meshing MacMesh plug-in, which provides a python library for quadrangle meshing, has been integrated into SMESH module.
22500	Summary: [CEA 1077] GetLibName not found
	A regression in smesh_algorithm.py has been fixed.
22501	Summary: [CEA 1076] Impossible to mesh again a shape, which has been meshed and then translated without copy
	Change of position of a meshed shape is now properly taken into account.
22502	Summary: [CEA 1070] "Convert to quadratic" does not work if some edges are not set by some elements during meshing
22302	"Convert to quadratic" operation has been fixed to correctly take into account mesh edges ending at different geometrical edges.
	Summary: [CEA 1078] The creation of a sub-mesh UseExistingFaces suppresses the created elements
	The following algorithms have been renamed for clarity:
22504	 "Use existing faces" → "Use Faces to be Created Manually";
	"Use existing 2D elements" → "Import 1D-2D Elements from Another Mesh";
	"Use existing edges" → "Use Edges to be Created Manually"; "Use a spirition of Declaration of Declaration of the Property of the Proper
	"Use existing 1D elements" → "Import 1D Elements from Another Mesh".
	Summary: EDF 2845 SMESH: regression with 3D extrusion algorithm
22507	Extrusion 3D mesher has been improved to avoid failure on a prism with a triangular base face meshed with a sole triangular element.
22511	Summary: EDF 2845 SMESH: error with UseExistingFaces
22311	The problem with "Use Existing 2D Elements" meshing algorithm has been fixed.
22512	Summary: [CEA 1084] _objref_SMESH_Mesh instance has no attribute GetMEDMesh
22513	Documentation on parameters of smeshBuilder.Mesh() has been updated.
	Summary: [CEA 1075] Quadrangle mapping produces a bad mesh without raising error
22516	Quadrangle (Mapping) algorithm has been improved to report an error if inverted elements are generated.
	Summary: [CEA 1079] Filter Multi-connections cannot be created with the graphical interface
22517	It is now possible to define an edge filter with "Borders at multi-connections"=1 via GUI. Previously it caused "Insufficient input value" error.
	i

22523	Summary: [CEA 1096] Add column "biquadratic" in "Mesh Information" "Bi-quadratic" column has been added in "Mesh Information" to differentiate between quadratic and biquadratic elements if a mesh contains both. Tri-quadratic elements are also countered in "Bi-quadratic" column.
22525	Summary: EDF 2863 SMESH: problem between BLSURF with viscous layer and projection The problem with invalid projection arising if some nodes have invalid positions on a face has been fixed.
22526	Summary: SMESH 2864 – Projection and Extrusion The problem with "Projection 2D" algorithm in case of faces with many holes has been fixed.
22536	Summary: EDF 2876 SMESH: Problem with BodyFitting Body Fitting meshing algorithm has been improved to correctly work on a mirrored shape.
22537	Summary: EDF 2877 SMESH: wrong information about the number of nodes with polyhedral In Mesh Information dialog, description of nodal connectivity of polyhedral elements has been improved by splitting an all-nodes list into groups relating to facets.
22539	Summary: [CEA 1126] Quadrangle mapping produces a non-conform mesh "Quadrangle (Mapping)" meshing algorithm now produces a better mesh in case of few segments on face sides and standard transition.
22541	Summary: [CEA 1127] Going quadratic with nodes on the geometry produces overlapping mesh The problem with overlapping links appearing at "Convert to quadratic" near concave boundaries in quad-dominant mesh has been eliminated.
22542	Summary: [CEA 1129] Convert to bi-quadratic creates a node outside an element if mesh has no CAD A bug of conversion from quadratic to bi-quadratic in a case w/o geometry has been fixed.
22549	Summary: [CEA 1138] The script wrapperScript.py gives back hand for no reason at the middle of a loop The problem with null file descriptor in Python scripts has been fixed.
22558	Summary: [CEA 1135] Mesh migration documentation link broken Broken links have been restored in Mesh documentation.
22563	Summary: EDF SMESH: Regression with Projection_2D Regression of "Projection 2D" algorithm caused by a modification of "Pattern Mapping" has been fixed.
22564	Summary: EDF SMESH: Regression, FindNodeClosestTo does not return the right node The problem with Mesh.FindNodeClosestTo(x,y,z) operation has been fixed.

22568	Summary: [CEA 1151] ConvertToQuadratic does not work if a face was not assigned with elements ConvertToQuadratic() has been improved to correctly work on a mesh built with SetRemoveTinyEdges parameter of BLSURF mesher.
22571	Summary: [CEA 1152] if selection disabled, impossible to select a mesh in "Merge nodes" in manual mode Selection of nodes to be merged has been restored in the object browser.
22572	Summary: [CEA 1148] Radial Quadrangle does not create quadratics cells "Quadratic mesh" hypothesis is properly taken into account by "Radial Quadrangle" mesher.
22576	Summary: EDF 8029 SMESH: Bug with 3D viscous layer The failure of Viscous Layers construction on certain geometry has been eliminated.
22578	Summary: EDF SMESH: Regression with Prism() A regression has been fixed in "Extrusion 3D" meshing algorithm.
22582	Summary: EDF 8036 SMESH: ConvertToQuadratic fails with theForce3d off Wrong conversion to quadratic in case of a face with a seam edge located not at zero of a periodic direction has been fixed.
22594	Summary: [CEA 1159] Salome crashes when loading a dumped meshing script SALOME crash at loading a script using LayerDistribution2D hypothesis has been fixed.

MED MODULE

	Summary: [CEA 1033] SEGFAULT when running \$MED_ROOT_DIR/bin/salome/ TestMEDCouplingCorbaServ
22449	The name of the current user has been added in the filename of the temporary directory for test results to address the case when several users execute the same test on the same machine.
22464	Summary: [CEA 1046] SEGFAULT when reading a SAUV file in V7.3.0 and V7_main A SEGFAULT in SauvReader has been fixed.
22534	Summary: [CEA 1121] failing sauv2med The problem with sauv2med when reading a partial nodal field has been eliminated.

PARAVIS MODULE

21714	Summary: [CEA 582] Wrong component shown in the legend
21714	Fixed by migration on ParaView 4.1.

21722	Summary: [CEA 591] Problem with field on nodes with profile Fixed with new MedReader.
21729	Summary: [CEA 595] Slow polyhedrons rendering in ParaViS The rendering of polygons and polyhedrons has been accelerated.
21943	Summary: [CEA 701] Visualization problem with paravis Fixed with new MedReader.
22128	Summary: [CEA 766] Crash dans Paravis when loading a med file from FLICA4 Fixed with new MedReader.
22230	Summary: [CEA 833] Information on data arrays not update when changing time steps Fixed by migration on ParaView 4.1.
22240	Summary: [CEA 876] Visualisation of fields with profiles in ParaVis Fixed with new MedReader.
22242	Summary: [CEA 832] Wrong values in the scalar bar: min max are 0 1 Fixed by migration on ParaView 4.1.
22286	Summary: [CEA 911] The launch of a "Show Trace" ends with a segmentation error Fixed with new MedReader.
22387	Summary: [CEA 937] Wrong display Fixed with new MedReader.
22486	Summary: [CEA 1056] import paraview.salome crashes SALOME Fixed by migration on ParaView 4.1.
22529	Summary: EDF 2866 Paravis: activation of the Edit Color Map windows The functionality of "Edit Color Map" and "Edit Color Range" dialogs has been restored on Fedora platform.
22530	Summary: [CEA 1108] New macros are deleted at Paravis launch The added macros are now correctly saved at the end of session.
22533	Summary: [CEA 1120] Edit Color Range does not open Solved by fix for issue 22529.
22546	Summary: [CEA 1136] Loading state raises fatal error Fixed pb in MedReader.

22590	Summary: [CEA 1172] Regression on "import salome_test" Fixed regression of salome_test.py script.
22593	Summary: [CEA 1175] PARAVIS segmentation fault Fixed by additional patch for ParaView 4.1.

YACS MODULE

		Summary: [CEA 930] YACS: progression of a loop ForEach
		Progress bar is now shown under the header item of YACS nodes ForLoop and ForEachLoop to show the current progress of theses nodes during schema execution.
	22326	The progress bar is hidden during schema edition. It is possible to customize look-n-feel of the progress bar via Preferences:
		Change the color of progress bar
		 Choose how the progress value is expressed: as a percentage as the number of finished steps, or as both.
•		Summary: [CEA 1007] Harmonization of Python nodes with the nodes from catalog
		The input panels of nodes PyScript and PyFunction have been modified as follows:
	22415	Local /Remote option has been removed;
		"Container" combo-box is now always available;
		It is now possible to change the selected contained directly from the input panel.

JOBMANAGER MODULE

N/A	Summary: EDF 7925: Fix bug preventing jobs with the parameter "memory per core" to be loaded properly.
-----	--

BLSURFPLUGIN MODULE

22455	Summary: [CEA 1032] Error "No mesh elements assigned to a face" is raised instead of a simple warning BLSURFPlugin has been protected from reporting an error for a shape that is properly meshed.
22547	Summary: [CEA 1128] Problem with use of isRelative after a dump "Relative size" parameter of "BLSURF Parameters" hypothesis is now dumped into Python correctly.

HEXOTICPLUGIN MODULE

22470	Summary: EDF 2824 HEXOTICPLUGIN: Working directory is not taking into account with an imported mesh HEXOTIC algorithm has been improved to use "Working Directory" parameter when working on a 2D mesh without geometry.
22515	Summary: [CEA 1074] HEXOTIC does not work under Windows 7 64 bits The problem with HEXOTIC plug-in on Windows platform has been fixed.

NETGENPLUGIN MODULE

	Summary: EDF NETGENPLUGIN: NETGEN options	
	It has become possible to switch on and off two features of NETGEN mesher:	
22357	 Automatic merge of edge nodes, which are coincident geometrically but different topologically. 	
	 Automatic definition of 1D and 2D mesh density depending on the curvature of faces and edges. 	

❖ PROCESSED AND ANSWERED QUERIES

22452	Summary: [CEA 1036] command ./runInstall of Install Wizard MD10_64 does not work
22481	Summary: EDF 2559 SMESH: Is GetGroups list sorted?
22492	Summary: EDF GEOM: Orientation of faces after a cut
22493	Summary: EDF 2735 SMESH: How to forbid deletion of objects from the modules
22509	Summary: EDF 2845 SMESH: problem with UseExistingFaces and Hexahedron
22518	Summary: [CEA 1090] Is there in OCC a function that check if 2 objects are intersecting or not?
22520	Summary: [CEA 1097] GHS3D regression
22521	Summary: [CEA 1093] 2D Behavior of Fuse
22535	Summary: [CEA 1122] How to insert an additional entry in the help menu?
22538	Summary: EDF SMESH: Compilation of SMESH on master fails
22554	Summary: [CEA 1134] Behavior of the Edit Color Map button
22559	Summary: [CEA 1143] The icons of the Color Map Editor require a click in the 3D View
22584	Summary: [CEA 1164] MEDCouplingFieldDouble.applyLin does not affect the first value
22591	Summary: EDF 8100 - Intersecting triangles with viscous layers
22596	Summary: EDF SMESH: Renumbering nodes on a line
22597	Summary: EDF 2782 SMESH: NgException with Netgen_2D

❖ OCCT 6.7.1 BUG CORRECTIONS

This chapter lists bug corrections and improvements made for SALOME project in Open CASCADE Technology. These bug corrections and improvements are included into OCCT version 6.7.1.

Note that only the issues related to SALOME platform are listed below.

OCC23391	Summary: Missing section edge between two faces Referenced by 0022213: EDF GEOM: Regression with boolean operation
OCC23884	Summary: Boolean Fuse between two faces fails Referenced by 0022184: [CEA 802] Partition fails with message "Courbes non jointives" on a set of curved cylinders
OCC23892	Summary: Missing intersection edge between two faces. Referenced by 0022184: [CEA 802] Partition fails with message "Courbes non jointives" on a set of curved cylinders
OCC24204	Summary: The algorithm BRepOffsetAPI_MakePipeShell produces resulting shape with unwarrantably big tolerance Referenced by 0022231: EDF 2664 GEOM: MakeCut takes a long time in a specific case
OCC24376	Summary: Some BMP image files cannot be read Referenced by 0022405: [CEA 995] picture import.
OCC24427	Summary: Wrong section curves Fixes problem with self-intersected shape resulted from Partition algorithm.
OCC24454	Summary: fixshape produces a shell from a solid. Referenced by: • 0022388: [CEA 977] Invalid shape after "UnionFaces" • 0022495: [CEA 1058] Shape invalid after UnionFaces • INTPAL 0052244: Improvement of UnionFaces functionality.
OCCC24470	Summary: Wrong result done by General Fuse algorithm Fix pb with non-regression test smesh/imps_07/H6.
OCC24472	Summary: Wrong section curves Fix pb with non-regression test smesh/bugs_16/S0.
OCC24481	Summary: Test "Perform Infinite Point" provides wrong result for a solid Referenced by 0022441: EDF GEOM Regression: Partition operation produces a self- intersected shape

OCC24484	Summary: sprops gives incorrect matrix of inertia and moments Fix pb with non-regression test geom/measures_00/A6.
OCC24492	Summary: The command bopargcheck produces wrong results for cases. Referenced by 0022441: EDF GEOM Regression: Partition operation produces a self-intersected shape
OCC24499	Summary: fixshape produces inverted solid Fix pb with non-regression test smesh/bugs_12/M2.
OCC24505	Summary: Wrong section curves between Cone and Cylinder with collinear axes Referenced by 0022442 EDF GEOM: Self-intersected shape with MakeRevolution. Fixes pb with non-regression test script smesh/bugs_11/L9
OCC24527	Summary: Wrong result is obtained by Solid Classifier. Referenced by • 0022441: EDF GEOM Regression: Partition operation produces a self-intersected shape • 0022453: [CEA 1030] GHS3D ends with "COMPERR_NO_MESH_ON_SHAPE" because a solid corresponds to multiple ellipsoids
OCC24564	Summary: Select3D_SensitiveFace gives inaccurate picking depth for AIS_Plane (interior selection) Referenced by 0021793: [CEA 625] Clipping: from coordinates or from bounding box
OCC24569	Summary: AIS_InteractiveContext::Update() does not updates selection when changing AIS_Plane Referenced by 0021793: [CEA 625] Clipping: from coordinates or from bounding box
OCC24586	Summary: Pipe construction is failed Fixes problem with SMESH_SRC/doc/salome/examples/prism_3d_algo.py
OCC24620	Summary: BOPAlgo_CheckerSI returns interferences that are not sub-shapes of the source shape Referenced by 0021835: EDF 2070 GEOM: Problem with detecting Self-intersections
OCC24622	Summary: Add method to AIS_TexturedShape class to assign texture data directly from byte stream 0022463: [CEA 1044] xao import fails if the path contains some accented characters
OCC24633	Summary: Incorrect projection of a curve on a surface Referenced by 0022459 [CEA 1040] Glue Edges produces an invalid shape.

OCC24650	Summary: Wrong intersection curves obtained for a surface of revolution and a plane. Referenced by 0022496: EDF 2841 GEOM: Partition fails with a large number of tools
OCC24655	Summary: Boolean common produces incorrect result Referenced by 0022469: EDF 2782 GEOM: Common fails and self-intersection detection is very quick
OCC24667	Summary: BRepOffsetAPI_MakePipe::FirstShape() and LastShape() return shapes not from result Referenced by 0022494 EDF OCC: How to get a vertex index in a wire with FindIndex?
OCC24725	Summary: AIS_TexturedShape - flag switching texture modulation mode does not work 0022463: [CEA 1044] xao import fails if the path contains some accented characters
OCC24733	Summary: Sub-shape IDs change between two executions of a same script Referenced by 0022457: EDF 2817 GEOM: Sub-shape IDs change between two executions of a same script
OCC24747	Summary: TKOpenG1 - Mesa fails to destroy context if it set to current thread Referenced by 0022467 EDF GEOM: Salome crashes at GEOM calling.
OCC24759	Summary: Crash on STEP import, when reading a file exported in non-"C" locale Referenced by 0022456 [CEA 1034] Salome crashes at import of a step file.
OCC24764	Summary: Alien sub-shapes occurred in result of 'bopcheck' operation Referenced by 0021835: EDF 2070 GEOM: Problem with detecting Self-intersections
OCC24825	Summary: Fit Boolean Operation Algorithm to treat multiple arguments.
OCC24827	Summary: Incorrect result of projection of an edge on a face Referenced by 0022551 EDF 2857 – 7832 GEOM: problem with projection.
OCC24840	Summary: Exception in BRepOffsetAPI_MakePipe Referenced by 0022557: EDF GEOM: Regression with MakePipe on Salome_master/OCCT_6_7_1_beta
OCC24844	Summary: Wrong result of Boolean Cut operation Referenced by 0022560 EDF GEOM: Regression with MakeCut.
OCC24849	Summary: Crash on Pipe creation Referenced by 0022562 EDF GEOM: Regression, segmentation violation with MakePipe.

OCC24851	Summary: Extra vertex is in the result of Boolean Fuse Operation Referenced by 0022552 EDF 2857 – 7832 GEOM: strange behavior with partition.
OCC24861	Summary: Extra solid is in the result of General Fuse Operation Referenced by 0022561 EDF GEOM: Regression with MakePartition.
OCC24867	Summary: [Regression] Visualization - polygon offsets look broken Referenced by 0022567 EDF GEOM: Regression with shape selection.

❖ Supported Linux distributions and pre-requisites

SALOME 7.4.0 supports Linux Debian 6.0 64bits, Linux Debian 7.1 64bits, Mandriva 2010 64bits, CentOS 5.5 64bits, CentOS 6.3 64bits, Fedora 18 64bits, Ubuntu 13.10 64bits, Windows XP 32bits and 64bits. SALOME 7.4.0 has been tested with the pre-requisites listed in the table below.

SALOME 7.4.0 comes with the same prerequisites versions on all supported platforms (with some exceptions). The table below lists the versions of the products used by SALOME platform. Other versions of the products can also work but it is not guaranteed.

Product	Version	GUI (IAPP)	KERNEL	GEOM	SMESH	MED	YACS	PARAVIS	HOMARD	HEXABLOCK	NETGENPLUGIN	GHS3DPLUGIN	GHS3DPRLPLUGIN	BLSURFPLUGIN	HexoticPLUGIN	HEXABLOCKPLUGIN
gcc*	4.1***	X	X	X	X	X	X	X	Х	X	X	X	Х	X	X	X
GNU make*	3.80***	X	X	X	X	X	X	X	X	X	X	Х	Х	Х	X	X
Microsoft Visual C++**	2010	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
cmake	2.8.10.2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Python	2.7.3	X	X	Х	X	Х	X	Х	X	X	X	Х	Х	X	X	X
Qt	4.8.4	X		X	X	X	Х	X	X	X	Х	X	X	X	X	X
Sip	4.14.2	X			X											
PyQt	4.9.6	Х			Х											
Boost	1.52.0	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Swig	2.0.8	Х	Х	Х	Х	Х	Х		Х		Х	Х	Х	Х	Х	Х
осст	6.7.1	Х		Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Qwt	6.1.0	Х			Х											
QScintilla	2.7						Х									
OmniORB	4.1.6	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
OmniORBpy	3.6	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
omniNotify	2.1		Х													
Hdf5	1.8.10	Х	Х	Х	Х	Х		Х	Х		Х	Х	Х	Х	Х	X
Med	3.0.7				Х	Х		Х	Х		Х		Х			
Vtk	6.1.0	Х		Х	Х	Х		Х		Х	Х	Х	Х	Х	Х	X
numpy	1.7.1		X													
lapack	3.4.2		X													
graphviz	2.30.0	X	X	X	Х	Х	Х				Х	Х	Х	X	X	
Doxygen	1.8.3.1	X	X	X	X	X	X				X	X	X	X	X	X
NETGEN	4.9.13	<u> </u>			<u> </u>						X	<u> </u>	<u> </u>			'
Metis	4.9.13					X					<u> </u>					
Scotch	5.1.11					X			+							
libxml2	2.9.0	X	X			X	X									
Distene MeshGems	1.1	<u> </u>	<u> </u>			<u> </u>	<u> </u>					Х	X	X	X	
sphinx	1.1.3		Х	Х	Х		Х		Х	Х						
expat	2.0.1						Х									
libBatch	2.1.0		Х													
cgns	3.1.3				Х											
ParaView	4.1.0							X								
Homard	11.1		,,,						X							
simanio	1.0		X													

^{*)} Not included into SALOME Installation procedure, Linux only

^{**)} Not included into SALOME Installation procedure, Windows only

^{***)} Minimal required version

Product	Version	RANDOMIZER	SIERPINSKY	PYCALCULATOR	COMPONENT	CALCULATOR	НЕГГО	LIGHT	PYLIGHT	ATOMIC	ATOMGEN	ATOMSOLV	HXX2SALOME	YACSGEN	JOBMANAGER
gcc*	4.1**	X	X	X	X	X	X	X	X	X	X	X	X		X
GNU make*	3.80***	X	Х	Х	X	X	X	Х	X	X	X	Х	X		X
Microsoft Visual C++**	2010	Х	Х	X	Х	Х	Х	Х	Х	Х	Х	Х	Х		Х
Python	2.7.3	X	X	X	Х	X	X	X	X	Х	Х	Х		Х	Х
Qt	4.8.4		Х		Х	X	Х	Х		Х	Х	Х	X		X
Sip	4.14.2				Х						Х				
PyQt	4.9.6				X				X		X				
Boost	1.52.0		Х			X	Х					Х			Х
Swig	2.0.8		Х		Х	Х									
OCCT	6.7.1		Х		X	X	Х	Х		X		Х			
Qwt	6.1.0				Х										
OmniORB	4.1.6	Х	Х	Х	Х	Х	Х				Х	Х			X
OmniORBpy	3.6	X	Х	X	X	X	Х				X	Х			X
Hdf5	1.8.10		X		Х	Х		X		Х					
Med	3.0.7		X	Х	Х	X									
Vtk	6.1.0		Х		Х			Х	Х	Х		Х			
graphviz	2.30.0	Х	Х	Х	Х		Х			Х					
Doxygen	1.8.3.1	Х	Х	Х	Х		Х			Х					
sphinx	1.1.3														X

^{*)} Not included into SALOME Installation procedure, Linux only

The following products are not used in SALOME directly; they are only required to build other pre-requisite products.

Product	Version	Required by	Comment
tcl	8.6.0	Open CASCADE Technology	Optional
tk	8.6.0	Open CASCADE Technology	Optional
tcIX	8.4.1	Open CASCADE Technology	Optional
jinja	2.6	Sphinx	
pygments	1.5	Sphinx	
setuptools	0.6c11	Sphinx	
docutils	0.10	Sphinx	
freetype	2.4.11	Open CASCADE Technology	
freeimage	3.16.0	Open CASCADE Technology	Optional
gl2ps	1.3.8	Open CASCADE Technology, VTK	Optional
Intel TBB	3.0	Open CASCADE Technology	Optional
xdata	0.9.9		Can be used to create 3 rd - party SALOME modules
wso2-wsf-cpp	2.1.0	SIMANIO	Optional

NOTE: For some platforms SALOME uses prerequisites with patches (to fix different problems, like it is done in RPM) and defines specific configuration/compilation options. If you compile products without the Install Wizard we strongly recommend you to check configuration/compilation options using shell scripts located in config_files folder of the SALOME Installation Wizard.

^{**)} Not included into SALOME Installation procedure, Windows only

^{***)} Minimal required version

SALOME 7.4.0 depends on a number of products for run time execution, others are necessary only for compilation or generation of development documentation (like doxygen for example). Below there is a list of mandatory and optional products.

Software Requirements

Software Requi		and —			
Product	Compilation Developmen		Execution		Remarks
	Mandatory	Optional	Mandatory	Optional	
gcc	Х		Х		
GNU make	X				
Microsoft Visual			V		For everytion, runtime libraries are only required
C++	X		Х		For execution, runtime libraries are only required
cmake	X				
Python	X		X		
Qt	X		Х		
sip	X				
PyQt	X		X		
Boost	X		X		
Swig	X				
осст	X		Х		
Qwt	X		Х		
QScintilla		Х		X	For YACS only Required only if used at compilation step
omniORB	X		Х		
omniORBpy	X				
omniNotify	X		Х		
Hdf	X		X		
Med	X		Х		
Vtk	X		X		
numpy + lapack		Х			
graphviz	X		Х		In run-time required for YACS only
Doxygen	X				
NETGEN	X		Х		For NETGENPLUGIN only
cppunit		Х			Used for unitary testing
mpi		Х		Х	Required only if used at compilation step
openpbs		Х		Х	Required only if used at compilation step
Lsf		Х		Х	Required only if used at compilation step
metis		Х		Х	Required only if used at compilation step
scotch		X		X	Required only if used at compilation step
libxml2	X		Х		
MeshGems	х	х	x		Compilation: mandatory for BLSURFPLUGIN only, optional for HEXOTIC plugin Runtime: mandatory for BLSURFPLUGIN, GHS3DPLUGIN, GHS3DPLUGIN, HexoticPLUGIN
sphinx		X			
expat	X		Х		For YACS only
libBatch		X		Х	Required only if used at compilation step
ParaView	X		Х		For PARAVIS module only
Homard			Х		For HOMARD module only
cgns		Х		Х	For SMESH only Required only if used at compilation step
freetype		X		X	Required only if used when building OCCT
freeimage		X		X	Required only if used when building OCCT
gl2ps		X		X	Required only if used when building OCCT
Intel TBB		Х		X	Required only if used when building OCCT
simanio		Х		Х	Required only if used at compilation step
wso2-wsf-cpp		Х		Х	Required only if KERNEL is built with SIMAN support

How to install and build SALOME

Please follow README file from Installation Wizard for correct installation of SALOME and all prerequisites on Linux.

If you would like to compile SALOME from scratch, please use build.sh script delivered with the Installation Wizard. Type "build.sh -h" to see available options of this script.

❖ SALOME SYSTEM REQUIREMENTS

Minimal Configuration:

Processor: Pentium IV

512 MB RAM

Hard Drive Space: 3 GB

Video card 64 MB

Optimal Configuration:

Processor: Dual Core

2 GB RAM + 2 GB Swap

Hard Drive Space: 5 GB

Video card 128 MB

How to get the version and pre-requisites

SALOME 7.4.0 pre-compiled binaries for Linux Mandriva 2010 64bits, Debian 6.0 64bits, Debian 7.1 64bits CentOS 5.5 64bits, CentOS 6.3 64bits, Fedora 18 64bits, Ubuntu 13.10 64bits, Windows XP 32bits and 64bits can be retrieved from the SALOME web site http://www.salome-platform.org or from ftp repository ftp://ftp.opencascade.com.

The SALOME Installation procedure includes SALOME modules sources, and it is possible to build sources from scratch using build.sh script coming with installation procedure.

SALOME Installation procedure for Linux includes a patch for NETGEN which is placed inside NETGENPLUGIN module sources. This patch is used for all platforms to fix several bugs of NETGEN. During the compilation on NETGEN from sources by the SALOME Installation Wizard, the patch is applied automatically to the standard NETGEN distribution. You can download NETGEN 4.9.13 from its official site using the following link: http://www.hpfem.jku.at/netgen.

All other pre-requisites can be obtained either from your Linux distribution (please be sure to use a compatible version) or from the distributors of these pre-requisites (for example, http://qt.nokia.com for Qt). Note that for some of pre-requisite products SALOME Installation procedure also includes patches that fix the problems detected by SALOME.

KNOWN PROBLEMS AND LIMITATIONS

- The following modules are obsolete and not included into SALOME 7.4.0 release: FILTER, SUPERV, MULTIPR, VISU (Post-Pro). These modules are considered obsolete and not supported anymore.
- Application crash might occur on the data publication in the study if both data server and CPP container are running in the standalone mode.
- On some platforms the default font settings used in SALOME might cause bad application look-n-feel. This problem can be solved by changing the font settings with qtconfig utility included into the distribution of Qt 4.
- The following limitations refer to BLSURF plug-in:
 - Mesh contains inverted elements, if it is based on a shape, consisting of more than one face (box, cone, torus...) and if the option "Allow Quadrangles (Test)" has been checked before computation.
 - SIGFPE exception is raised after trying to compute a mesh based on a box with "Patch independent" option checked.
 - It has been found out that BLSURF algorithm cannot be used as a local algorithm (on submeshes) and as a provider of low-level mesh for some 3D algorithms because BLSURF mesher (and, consequently, the plug-in) does not provide information on node parameters on edges (U) and faces (U, V). For example, the following combinations are impossible:
 - global MEFISTO or Quadrangle(mapping) + local BLSURF;
 - BLSUFR + Projection 2D from faces meshed by BLSURF;
 - local BLSURF + Extrusion 3D.
- Sometimes regression test bases give unstable results; in this case the testing should be restarted.
- A native VTK can be used only after manual recompilation with the GL2PS component.
- NETGEN 1D-2D and 1D-2D-3D algorithm do not require definition of 2D and 1D algorithms and hypotheses for both mesh and sub-mesh. 2D and 1D algorithms and hypotheses defined with NETGEN 1D-2D or 1D-2D-3D algorithm will be ignored during calculation.
- SALOME in general supports reading of documents from earlier versions but the documents created in the new version may not open in earlier ones. However, some studies may work incorrectly in SALOME 7x; mainly it concerns studies with Post-Pro data in which med v2.1 files have been imported. Due to removal of med v2.1 support and deprecation of Post-Pro module in SALOME series 7x, there can be problems with opening of such studies in SALOME.
- If SALOME modules are not installed in a single folder, SALOME may not work in the CSH shell since the environment variables are too long by default. In this case, it is suggested to use SH or to install all modules in the same folder.
- During the compilation of OCCT 6.x by Makefiles on a station with NVIDIA video card you can experience problems because the installation procedure of NVIDIA video driver removes library libGL.so included in package libMesaGL from directory /usr/X11R6/lib and places this library libGL.so in directory /usr/lib. However, libtool expects to find the library in directory /usr/X11R6/lib, which causes compilation failure (See /usr/X11R6/lib/libGLU.la). We suggest making symbolic links in that case using the following commands:

```
ln -s /usr/lib/libGL.so /usr/X11R6/lib/libGL.so
ln -s /usr/lib/libGL.la /usr/X11R6/lib/libGL.la
```

- Stream lines presentation cannot be built on some MED fields due to limitations in VTK.
- MEFISTO algorithm sometimes produces different results on different platforms.

- In some cases the number of triangles generated by MEFISTO may be different at each attempt of building the mesh.
- When generating a 2D mesh with "Maximum Area" hypothesis used, MEFISTO algorithm can produce cells with maximum area larger than specified by the hypothesis.
- For the current moment, because of the ParaView application architecture limitations, PARAVIS module has the following known limitations:
 - PARAVIS module works unstably using a remote connection; when SALOME is running on a remote computer, activation of PARAVIS module can sometimes lead to the application hang-up.
 - PARAVIS module compilation can fail on 64-bit platforms when building ParaMEDCorba plugin (due to crash of kwProcessXML tool during generation of the plugin documentation).
 In such case it is necessary to unset VTK_AUTOLOAD_PATH environment variable and restart the compilation, for example:
 - [bash%] unset VTK_AUTOLOAD_PATH
- There can be problems when installing SALOME with Installation Wizard in "build from sources" mode caused by numerous bugs in ParaView build procedure: on some platforms the compilation of ParaView can take more than 24 hours. Moreover, compilation of ParaView on some platforms can even fail.